

TECHNICAL DATASHEET C09 TILE DRY VERGE



The Kytun™ Tile Dry Verge System permanently secures tiles on gable ends and gives an attractive maintenance free finish to the roofline.

The design helps protect the edge of the roof from the elements and eliminates the possibility of lifting and damage to the roof underlay. No mortar or timber guides are required.


The C09 tile dry verge is manufactured from 0.7mm high grade Aluminium or 0.5mm galvanised steel.

Compatibility


45mm Version: Suitable for a maximum individual tile thickness of 20mm

55mm Version: Suitable for a maximum individual tile thickness of 25mm

65mm Version: Suitable for a maximum individual tile thickness of 30mm



bre





TECHNICAL DATASHEET

C09 TILE DRY VERGE

Product Details


The Kytun™ Tile Dry Verge System permanently secures tiles on gable ends and gives an attractive maintenance free finish to the roofline. The design helps protect the edge of roof tiles from the elements and eliminates the possibility of lifting and damage to the roof underlay. No mortar or timber guides are required. It can be bespoke manufactured to virtually any profile to suit individual requirements.

Product Features


- Provides full wind uplift and rain protection.
- Extremely easy and quick to install.
- Requires no maintenance once installed.
- Can be fully customised.
- Available in a range of colours:
Black, Blue/Black, Brown & White.
- Powder coated colours also available on request.

Compatibility



Suitable for brick, render and bargeboard construction.




Tile Dry Verge (T1)




Angle Piece
(Batten Protector)



Angle Piece
(Batten Protector)



Tile Dry Verge (T1)





TECHNICAL DATASHEET

C09 TILE DRY VERGE

Dimensions

Aluminium

Tile Dry Verge (T1) - Aluminium

Code	Size	Colour
C09S	Tile Dry Verge Alu. (T1) 45mm x 3m	Blk • Blue/Blk • Brown
C09	Tile Dry Verge Alu. (T1) 55mm x 3m	Blk • Blue/Blk • Brown
C09L	Tile Dry Verge Alu. (T1) 65mm x 3m	Blk • Blue/Blk • Brown
C09F	Tile Dry Verge Alu. Angle Piece 40 x 60mm x 3m	Blk • Blue/Blk • Brown
C09JS	Tile Dry Verge Alu. (T1) 45mm Jointer x 70mm	Blk • Blue/Blk • Brown
C09J	Tile Dry Verge Alu. (T1) 55mm Jointer x 70mm	Blk • Blue/Blk • Brown
C09JL	Tile Dry Verge Alu. (T1) 65mm Jointer x 70mm	Blk • Blue/Blk • Brown
C09C45	Tile Dry Verge Alu. (T1) 45mm Bell-Cast Jointer x 500mm	Blk • Blue/Blk • Brown
C09C55	Tile Dry Verge Alu. (T1) 55mm Bell-Cast Jointer x 500mm	Blk • Blue/Blk • Brown
C09C65	Tile Dry Verge Alu. (T1) 65mm Bell-Cast Jointer x 500mm	Blk • Blue/Blk • Brown

ALU
RANGE
WARRANTY

30 YEAR
ALUMINIUM
DURABILITY
WARRANTY

20 YEAR
ALUMINIUM
COLOUR
WARRANTY

Galvanised Steel

Tile Dry Verge (T1) - Steel

Code	Size	Colour
C09GTS	Tile Dry Verge Steel Txt. (T1) 45mm x 3m	Blk • Blue/Blk • Brown
C09GT	Tile Dry Verge Steel Txt. (T1) 55mm x 3m	Blk • Blue/Blk • Brown
C09GTL	Tile Dry Verge Steel Txt. (T1) 65mm x 3m	Blk • Blue/Blk • Brown
C09GTF	Tile Dry Verge Steel Txt. Angle Piece 40 x 60mm x 3m	Blk • Blue/Blk • Brown
C09GTJS	Tile Dry Verge Steel Txt. (T1) 45mm Jointer x 70mm	Blk • Blue/Blk • Brown
C09GTJ	Tile Dry Verge Steel Txt. (T1) 55mm Jointer x 70mm	Blk • Blue/Blk • Brown
C09GTJL	Tile Dry Verge Steel Txt. (T1) 65mm Jointer x 70mm	Blk • Blue/Blk • Brown
C09GTC45	Tile Dry Verge Steel Txt. (T1) 45mm Bell-Cast Jointer x 500mm	Blk • Blue/Blk • Brown
C09GTC55	Tile Dry Verge Steel Txt. (T1) 55mm Bell-Cast Jointer x 500mm	Blk • Blue/Blk • Brown
C09GTC65	Tile Dry Verge Steel Txt. (T1) 65mm Bell-Cast Jointer x 500mm	Blk • Blue/Blk • Brown

STEEL
RANGE
WARRANTY

20 YEAR
STEEL
DURABILITY
WARRANTY

20 YEAR
STEEL
COLOUR
WARRANTY

bre



✓ BS 8612

✓ BS 5534



T: +353 (0) 74 91 39500 info@northwestaluminium.com
www.northwestaluminium.com

